



photo: courtesy NatureScape

Quick Reference Guide



www.paigewire.com

photo: courtesy Hunter Industries







Turf Irrigation Products Quick Reference Guide

PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT		PUT-UPS OR PACKAGING
--------------	-------------	-----------------	--	----------------------


LOW ENERGY SPRINKLER WIRE, DIRECT BURIAL, UL LISTED, **SPEC P7002D**

 9 COLORS	18 AWG	14	MFT	500/2,500'
9 COLORS	16 AWG	18	MFT	500/2,500'


18 AWG MULTI-CONDUCTOR, DIRECT BURIAL SPRINKLER WIRE, UL LISTED, **SPEC P7183D**

	180010	18 AWG/2	20	MFT	100/250/500/1000/2,500'
	180019	18 AWG/3	27	MFT	100/250/500/1000/2,500'
	180020	18 AWG/4	34	MFT	100/250/500/1000/2,500'
	180030	18 AWG/5	42	MFT	100/250/500/1000/2,500'
	180040	18 AWG/6	49	MFT	100/250/500/1000/2,500'
	180050	18 AWG/7	56	MFT	100/250/500/1000/2,500'
	180060	18 AWG/8	64	MFT	100/250/500/1000/2,500'
	180070	18 AWG/9	70	MFT	100/250/500/1000/2,500'
	180080	18 AWG/10	79	MFT	100/250/500/1000/2,500'
	180090	18 AWG/12	96	MFT	100/250/500/1000/2,500'
	180091	18 AWG/13	104	MFT	100/250/500/1000/2,500'
	180055	18 AWG/16	128	MFT	250/500/1000'
	180058	18 AWG/19	150	MFT	250/500/1000'
	180066	18 AWG/25	193	MFT	250/500/1000'
	270004	CABLE STRIPPING TOOL		EA.	1/BOX


POLYETHYLENE (PE) GOLF COURSE VALVE WIRE, DIRECT BURIAL, UL LISTED, **SPEC P7079D & P7264D** (metric)

 12 COLORS	14 AWG	20	MFT	500/2,500'	
8 COLORS	12 AWG	29	MFT	2500'	
14 AWG & 12 AWG	7 COLORS	10 AWG	42	MFT	2500'
	6 COLORS	1.5mm ²	15.2	MFT	500/1000/2,500'
	6 COLORS	2.5mm ²	22.4	MFT	1000/2,500'

POLYVINYL CHLORIDE (PVC) INSULATED VALVE OR POWER WIRE, TYPE UF, DIRECT BURIAL, UL LISTED, **SPEC P7001D**

 13 COLORS	14 AWG	28	MFT	500/2,500'	
8 COLORS	12 AWG	37	MFT	500/2,500'	
7 COLORS	10 AWG	55	MFT	2500'	
3 COLORS	8 AWG	83	MFT	2500'	
3 COLORS	6 AWG	126	MFT	1000'	
14 AWG & 12 AWG AVAILABLE WITH STRIPES	3 COLORS	4 AWG	155	MFT	1000'
	3 COLORS	2 AWG	236	MFT	1000'
	3 COLORS	1/0 AWG	423	MFT	1000'

TWO WIRE FLAT POWER CABLE WITH BARE GROUND, TYPE UF/NMC-B, DIRECT BURIAL, UL LISTED, **SPEC P7295D**

 170090	14 AWG/2 w/GROUND(All Solid)	80	MFT	1000'
170110	12 AWG/2 w/GROUND(All Solid)	110	MFT	1000'
170130	10 AWG/2 w/GROUND(Solid)	156	MFT	1000'
170150	8 AWG/2(Stranded) w/GROUND(Solid)	237	MFT	1000'
170170	6 AWG/2(Stranded) w/GROUND(Solid)	407	MFT	1000'

EA=each

MFT=1000 feet


CEA=100 each

~≈approximately

*=call for prices

PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	PUT-UPS OR PACKAGING
--------------	-------------	-----------------	----------------------

THREE WIRE ROUND TRAY POWER CABLE (TC), DIRECT BURIAL, UL LISTED,  SPEC P7266D & P7267D

 <p>Other Wire Counts and Sizes Available</p>	182148	12 AWG/3	113	MFT	1000/5000'
	180608	10 AWG/3	212	MFT	1000/5000'
	180607	8 AWG/3	283	MFT	1000/5000'
	180600	6 AWG/3	400	MFT	1000/4000'
	180700	4 AWG/3	653	MFT	1000/3000'
	180605	2 AWG/3	948	MFT	1000/2000'
	180610	1/0 AWG/3	1436	MFT	1000/2000'


IRRIGATION SYSTEM COMMUNICATION CABLES, DIRECT BURIAL

	180095TH	16 AWG/1 PR TORO UNARMORED Tufhide P7162D	65	MFT	~5,000'
	180096TH	16 A WG/1 PR TORO ARMORED Tufhide P7162D-A	92	MFT	~5,000'
	273210	Tufhide SPLICE KIT, P273210D		EA	~1 Kit/Box
	180007	18 AWG/2 PR, ARMORED, P7171D-A	105	MFT	~4,000'
	180008	18 AWG/2 PR, UNARMORED, P7171D	61	MFT	~4,000'
	9 COLORS	14 AWG/2 RAIN BIRD MAXI, P7072D	86	MFT	~2,500'
	5 COLORS	12 AWG/2 RAIN BIRD MAXI, P7072D	110	MFT	~2,500'
	180006	20 AWG/3 PR, P7195D(Equal to Belden 9883)	70	MFT	~2,500'
	6411913	19 AWG/3PR, PE-89, P7315D	93	MFT	~1,000'
	641191	19 AWG/6PR, PE-89, P7315D	170	MFT	~1,000'


BARE COPPER WIRE

 <p>OTHER SIZES AVAILABLE</p>	160248	14 AWG SOLID	13	MFT	250/500/1,000/2,500'
	160364	12 AWG SOLID	28	MFT	250/500/1,000/2,500'
	160465	10 AWG SOLID	32	MFT	250/500/1,000/2,500'
	160629	8 AWG SOLID	51	MFT	250/500/1,000/2,500'
	160635	6 AWG SOLID	80	MFT	250/500/1,000/2,500'
	160679	4 AWG STRANDED	129	MFT	250/500/1,000/2,500'

IRRIGATION SYSTEM DECODER CABLES, DIRECT BURIAL

	VARIOUS COLORS	TORO, 14/2 & 12/2 TWISTED, P7389D	65/85	MFT	500'/1000'/2500' & odds
		TORO, 14/2 TWISTED & JACKETED, P7350D	65/85	MFT	500'/1000'/2500' & odds
		RAIN BIRD, 14/2 & 12/2 MAXI, P7072D	86 & 110	MFT	500'/1000'/2500' & odds
		HUNTER 14/2 & 12/2 TWISTED, P7313D	46 & 65	MFT	500'/1000'/2500' & odds
		HUNTER 14/2 & 12/2 TWISTED & JACKETED, P7354D	65 & 80	MFT	500'/1000'/2500' & odds
		DECODER-TO-SOLENOID "DTS Cable", 14/2 ZIP P7351D	41	MFT	2500' & odds


DECODER CABLE SWITCHING DEVICES

	270DCFD1	DECODER CABLE FUSE DEVICE (INLINE)		EA	12/Case
	270DCFD	DECODER CABLE FUSE DEVICE (2-WAY)		EA	12/Case
	270DCFD3	DECODER CABLE FUSE DEVICE (3-WAY)		EA	12/Case
	270DCFD1L	DECODER CABLE FUSE DEVICE (INLINE), with Lightning Protection		EA	12/Case
	270DCFDL	DECODER CABLE FUSE DEVICE (2-WAY), with Lightning Protection		EA	12/Case
	270DCFD3L	DECODER CABLE FUSE DEVICE (3-WAY), with Lightning Protection		EA	12/Case











Low Voltage Lighting Products

TWO CONDUCTOR LOW VOLTAGE LIGHTING CABLE, DIRECT BURIAL, UL LISTED,  SPEC P7190D

 <p>TN11TRM 270457Z K4021 K4221 WP1220C</p>	180015	18 AWG/2, Black	27	MFT	100/250/500/1,000'
	1800162	16 AWG/2, Black	30	MFT	100/250/500/1,000'
	180148	14 AWG/2, Black	46	MFT	250/500'
	180150	12 AWG/2, Black	80	MFT	100/250/500/1,000'
	180155	10 AWG/2, Black	97	MFT	100/250/500/1,000'
	180215	8 AWG/2, Black	161	MFT	100/250/500/1,000'
	270TN11TRM	OUTDOOR MECHANICAL TIMER, Black, Right outlet	0.5	CASE	36/CASE
	270422A	INDOOR MECHANICAL TIMER, White, Right outlet	1.5	CASE	6/CASE
	270403B	INDOOR MECHANICAL TIMER, White, Bottom outlet	2.5	EA	6/CASE
	270457Z	INDOOR DIGITAL TIMER, ASTRONOMIC TIMING	0.5	EA	4/CASE, 24/Mstr Ctn
	270DT200LT	INDOOR ASTRO TIMER, EASY SETTING	0.5	EA	6/CASE
	270DT620CL	INDOOR DIGITAL TIMER, ASTRONOMIC TIMING	0.5	EA	6/CASE
	270HB800RC	OUTDOOR ELECTRONIC TIMER w/DUAL OUTLETS, ASTRONOMIC TIMING	0.6	EA	6/CASE
	270K4221	PHOTO CONTROL, SWIVEL	0.1	EA	50/CASE
	270WP3100C	RECEPTACLE RAIN COVER, Single gang	0.2	EA	6/CASE
270WP1220C	RECEPTACLE RAIN COVER, Two gang	0.4	EA	6/CASE	



PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	PUT-UPS OR PACKAGING
--------------	-------------	-----------------	----------------------

EARTH GROUNDING & LIGHTING PROTECTION ACCESSORIES

	182000	GROUNDING RODS (5/8" x 8')	7	EA	Bulk
	182007	GROUNDING RODS (5/8" x 10')	10	EA	Bulk
182005	GROUNDING CLAMPS (5/8")			EA	Bulk
	182000IC10	GRND RODS (5/8" X 8') WITH 15' OF #10 INS. WIRE	8	EA	Bulk
	182000IC6	GRND RODS (5/8" X 8') WITH 15' OF #6 INS. WIRE	12	EA	Bulk
	182007IC6	GRND RODS (5/8" X 10') WITH 25' OF #6 INS. WIRE	14	EA	Bulk
182199IC	4" X 96" Cu PLATE & 25' OF #6 INSULATED WIRE	12	EA	1/Box	
250090LED	4" X 36" Cu PLATE & 10' OF #10 INSULATED WIRE	5	EA	1/Box	
	150854	6 AWG SOLID COPPER GROUNDING WIRE, GREEN	100	MFT	500'
	250090LED	INTERMATIC AG24013 LIGHTNING ARRESTER		EA	6/Box
	270SSG	SURGE GUARD LIGHTNING ARRESTER	.06	EA	50/Case
	1820037P	CADWELD GR1161G-PLUS (1 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820039P	CADWELD GT1161G-PLUS (2 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820038P	CADWELD NT1161G-PLUS (3 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820060P	CADWELD NX1161G-PLUS (4 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820043P	CADWELD GR1161L-PLUS (1 CONN. 4 AWG)		EA	1/Box 12/Case
	1820053P	CADWELD GT1161L-PLUS (2 CONN. 4 AWG)		EA	1/Box 12/Case
	1820054P	CADWELD NT1161L-PLUS (3 CONN. 4 AWG)		EA	1/Box 12/Case
	1820061P	CADWELD NX1161L-PLUS (4 CONN. 4 AWG)		EA	1/Box 12/Case
	1820045P	CADWELD GR1161V-PLUS (1 CONN. 2 AWG)		EA	1/Box 12/Case
	1820044P	CADWELD GT1161V-PLUS (2 CONN. 2 AWG)		EA	1/Box 12/Case
	1820055P	CADWELD NT1161V-PLUS (3 CONN. 2 AWG)		EA	1/Box 12/Case
	1820068P	CADWELD NX1161V-PLUS (4 CONN. 2 AWG)		EA	1/Box 12/Case
	1820074P	CADWELD PG11L-PLUS SPLICE (4 CONN. 6 & 4 AWG)		EA	1/Box 12/Case
	1820040CU	CADWELD CONTROL UNIT	2	EA	1/Box
	1820059	PowerFill™ EARTH CONTACT BACKFILL, 50#	50	EA	50 pound bag
	1820058	PowerSet™ EARTH CONTACT BACKFILL, 50#	50	EA	50 pound bag


NOTE: PoweFill™ Is a Non-hardening material to be used in clay soils. PowerSet™ is a material that hardens with water and should be used in coarse soils such as sand and rock to prevent material migration.

TRACKING


	270901	3M 2273-U3P3 ADVANCED CABLE, METALLIC PIPE AND INSULATION/SHEATH FAULT LOCATOR	23	EA	1
	270199	3M 2273M-iD/UC5W-RT ULTRA ADVANCED CABLE, METALLIC PIPE & INSULATION/SHEATH FAULT LOCATOR	31	EA	1
	270198	3M #1402-XR, RED, WIRES/POWER	5	Case	30/Case
	270234	3M #1403-XR, BLUE, WATER.	5	Case	30/Case
	270234P	3M #1408-XR, PURPLE, RECLAIMED WATER.	5	Case	30/Case
	270202R	3M #1433, RED, WIRES/POWER.	2	Case	50/Case
	270202	3M #1434, BLUE, WATER.	2	Case	50/Case
	270201R	3M #1256, RED, WIRES/POWER.	6	Case	50/Case
	270201	3M #1257, BLUE, WATER.	6	Case	50/Case

PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	PUT-UPS OR PACKAGING
--------------	-------------	-----------------	----------------------



















SOLA 60 HERTZ VOLTAGE REGULATING/POWER CONDITIONING TRANSFORMERS

 <p>Other Models Available, including 50 Hertz</p>	250000	120VA, 63-23-112-4	15	EA	1
	250010	250VA, 63-23-125-4	27	EA	1
	250020	500VA, 63-23-150-8	37	EA	1
	250030	750VA, 63-23-175-8	52	EA	1
	250040	1000VA, 63-23-210-8	62	EA	1
	250050	1500VA, 63-23-215-8	95	EA	1
	250060	2000VA, 63-23-220-8	109	EA	1
	250070	3000VA, 63-23-230-8	142	EA	1
	250080	5000VA, 63-23-250-8	222	EA	1

SOLA 60 HERTZ UNINTERRUPTIBLE POWER SUPPLIES (UPS)

 <p>Other Models Available</p>	250205	320VA, S1K320, UPS	14	EA	1
	250410	520VA, S1K520, UPS	16	EA	1
	250404	1200VA, S1K1200, UPS	22	EA	1
	250216	700VA, S3K700, UPS & POWR COND COMBO	30	EA	1
	250230	1000VA, S3K1000, UPS & POWR COND COMBO	44	EA	1
	250403	1600VA, S3K1600, UPS & POWR COND COMBO	50	EA	1

ELECTRICAL CONNECTION WATERPROOFING ACCESSORIES

	270i61B	WeatherProof Silicone-Filled Wire Nut, Small (22-14 AWG, 0.34 to 2.5 mm ²)	1.25	EA	Card of 25, 125/case
	270i61J		6.00	EA	150/Jar, 900/case
	270i61D		6.00	EA	Card of 1000, 1000/case
	270i62B	WeatherProof Silicone-Filled Wire Nut, Medium (18-8 AWG, 0.75 to 10 mm ²)	1.90	EA	Card of 20, 100/case
	270i62J		13.00	EA	100/Jar, 600/case
	270i62D		15.00	EA	Card of 1000, 1000/case
	270i63B	WeatherProof Silicone-Filled Wire Nut, Large (16-6 AWG, 1.5 to 16 mm ²)	2.20	EA	Card of 15, 75/case
	270i63J		7.00	EA	50/Jar, 300/case
	270i63D		25.00	EA	Card of 1000, 1000/case
	270i60B1	Underground Silicone-Filled Wire Nut, Small (20-10 AWG, 0.5 to 6.0 mm ²)	1.40	EA	Card of 10, 50/case
	270i60D		18.00	EA	Card of 1000, 1000/case
	270i64C	Underground Silicone-Filled Wire Nut, Medium (18-8 AWG, 0.75 to 10 mm ²)	1.70	EA	Card of 50, 50/case
	270i64D		17.00	EA	Card of 1000, 1000/case
	270672	3M DBR/Y-6 BULK, 600V	5.0	CASE	100/case
	270673	3M DBR/Y-6 KIT OF 2, 600V	3.5	CASE	25 Kits/Box
	270674	3M DBO/B-6 BULK, 60V	5.0	CASE	100/case
	270675	3M DBO/B-6 KIT OF 2, 600V	3.5	CASE	25 Kits/Box
	270DB144	Paige DB144 Connector (14 to 4 AWG), 600V	1.5	3-Pk	Ten 3-Packs/BOX
	270RC2	Re-enterable Connector, 2-positions (14 to 2/0 AWG), 600V	1.1	3-Pk	Ten 3-Packs/BOX
	270RC3	Re-enterable Connector, 3-positions (14 to 2/0 AWG), 600V	1.3	3-Pk	Ten 3-Packs/BOX
	270RC4	Re-enterable Connector, 4-positions (14 to 2/0 AWG), 600V	1.45	3-Pk	Ten 3-Packs/BOX
	270RC6	Re-enterable Connector, 6-positions (14 to 2/0 AWG), 600V	2.3	3-Pk	Ten 3-Packs/BOX
	270314	3M #314 Wire Connector (22-14 AWG)		EA	50/Box
	270317	3M #314 Wire Connector (22-14 AWG)		EA	1000/Bin
	270228R	3M #316IR Wire Connector (22-16 AWG)		EA	30/Pk, 300/Box
	270MGC	MGC		EA	25/Pk, 250/Case
	270MGCJUG	MGC in Jugs		CASE	100/Jug, 400/Box
	270MH14BCX	3M "CRIMP & SHRINK" CONNECTOR, 18-14 GAUGE		EA	25/Pk, 100/Case
	270MH10BCX	3M "CRIMP & SHRINK" CONNECTOR, 18-8 GAUGE		EA	25/Pk, 100/Case
	273211	3M SLiC WATERPROOFING KIT		EA	2 Kits/Bag, 12/Case
	270320	3M #3570G-N EPOXY PACKS		EA	10/Box, 100/Case
	270322	3M #4 RESIN, SIZE A/3.2oz., 4" x 7"		EA	10
	270323	3M #4 RESIN, SIZE B/7.4oz., 5" x 7"		EA	10
	270329	3M #82-A RESIN SPLICES		EA	1/Box, 10/Case
	270340	3M #82-A1 RESIN SPLICES		EA	1/Box, 10/Case
	273210	Tufhide SPLICE KIT, P273210D		EA	1/Kit/Box
	270330	3M #82-A2 RESIN SPLICES		EA	1/Box, 10/Case
	270375	3M #82-B1 WYE SPLICES		EA	1/Box, 10/Case
	270388	3M SCOTCHKOTE ELEC. COAT., 15 oz.		EA	10

	PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	PUT-UPS OR PACKAGING
--	-----------------	----------------	--------------------	-------------------------

TAPES

	SUPER 33+ #1700	270389	ELECTRICAL TAPE, 3M SUPER 33+ (3/4" x 66')	EA	10/Ctn, 100/Box
		270385	ELECTRICAL TAPE 3M #1700 (3/4" x 60')	EA	10/Sleeve, 100/Box
		270ET211	ELECTRICAL TAPE ECONOMY (3/4" x 60')	EA	10/Sleeve, 200/Box
		270001	RUBBER TAPE 3M #23 (3/4" x 30')	EA	50
		270387	SCOTCHFILL PUTTY 3M #15140	EA	10
		270417	DUCT TAPE 3M #3939 (2" x 60 YDS)	EA	24
		270P217	DUCT TAPE, ECONOMY 217 (2" x 60 YDS)	EA	24
		270396	PACKAGING TAPE 3M #3710 (2" x 328')	EA	36

3M ELECTRICAL SPRING CONNECTORS ("WIRE NUTS")

	270303"G"	TYPE H-29 (GRAY) - [22-16 AWG]	CEA	100/Box
	270303"B"	TYPE H-30 (BLUE) - [22-14 AWG]	CEA	100/Box
	270303"O"	TYPE H-31 (ORANGE) - [18-14 AWG]	CEA	100/Box
	270306	TYPE O/B (ORG/BLUE) - [20-12 AWG]	CEA	100/Box
	270307	TYPE O/B (ORG/BLUE) - [20-12 AWG], (BULK)	CEA	1000/Bag
	270304	TYPE O/B (ORG/BLUE) - [20-12 AWG], (JUG)	CEA	500/Jug
	270308	TYPE R/Y (RED/YELLOW) - [18-8 AWG]	CEA	100/Box
	270309BG	Type B/G+ (Blue/Gray) - [14-8 AWG]	CEA	50/Box

3M WIRE MARKING ACCESSORIES

	270WMT	WIRE MARKING TAGS	25-PK	25/Bag
	270WMP	PEN, PERMANENT INK	EA.	20/Case

3M WIRE MARKING ACCESSORIES

	270391	STD 0-9 DISPENSER, FILLED w/O TO 9	EA.	25
	270393	STD C DISPENSER, FILLED w/COLORS	EA.	25
	270501	SDR 0-9 REFILL KIT, 0 TO 9 ROLLS	EA.	10
	270502	SDR-MC REFILL KIT, COLOR ROLLS	EA.	10

POWER CORDS, 16/3, 13 AMP, UL LISTED

	0900820DST	6' STRAIGHT PLUG, INDOOR/OUTDOOR	0.51	EA.	50
	0900820D	6' RIGHT ANGLE PLUG, INDOOR/OUTDOOR	0.80	EA.	50
	0900810D	8' RIGHT ANGLE PLUG, INDOOR/OUTDOOR	0.56	EA.	50
	0900825G	6' STRAIGHT ANGLE PLUG, WATERPROOF GLAND	0.90	EA.	50
	090082AG	6' RIGHT ANGLE PLUG, WATERPROOF GLAND	0.60	EA.	50
	090081AG	8' RIGHT ANGLE PLUG, WATERPROOF GLAND	0.70	EA.	50

3M CABLE TIES

	276228	15" NATURAL - 3M #06228	CEA	50/Bag, 500/Box
	270226	8" BLACK (WEATH RES) - 3M #06272, BULK	CEA	1,000/Bag, 10,000/Box
	270227	12" BLACK (WEATH RES) - 3M #06272, BULK	CEA	1,000/Bag, 10,000/Box

BRASS SPLIT BOLTS

	181992	#2/0	EA	
	181993	#1/0	EA	
	181997	#2	EA	
	181998	#4	EA	
	181999	#6	EA	
	181994	#8 and #10	EA	

EA=each

MFT=1000 feet

CEA=100 each

~≈approximately



PLEASE CALL FOR PAIGE ELECTRIC DISTRIBUTOR NEAR YOU. www.paigewire.com

Union, NJ 800.327.2443 Fax: 908.687.2722
 Anaheim, CA 714.280.0109 Fax: 714.280.1079
 Fresno, CA 559.431.2346 Fax: 559.431.2574

01/01/17