



# Quick Reference Guide

Effective: 11/01/08



courtesy of Hunter Industries Inc.



courtesy of Unique Lighting Systems



courtesy of Hunter Industries Inc.





PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	UNIT	PUT-UPS OR PACKAGING
--------------	-------------	-----------------	------	----------------------


LOW ENERGY SPRINKLER WIRE, DIRECT BURIAL, UL LISTED,  **SPEC P7002D**

 9 COLORS	18 AWG	14	MFT	500/2,500'
9 COLORS	16 AWG	18	MFT	500/2,500'


18 AWG MULTI-CONDUCTOR, DIRECT BURIAL SPRINKLER WIRE, UL LISTED,  **SPEC P7183D**

	180010	18 AWG/2	20	MFT	250/500/1000/2,500'
	180019	18 AWG/3	27	MFT	250/500/1000/2,500'
	180020	18 AWG/4	34	MFT	250/500/1000/2,500'
	180030	18 AWG/5	42	MFT	250/500/1000/2,500'
	180040	18 AWG/6	49	MFT	250/500/1000/2,500'
	180050	18 AWG/7	56	MFT	250/500/1000/2,500'
	180060	18 AWG/8	64	MFT	250/500/1000/2,500'
	180070	18 AWG/9	70	MFT	250/500/1000/2,500'
	180080	18 AWG/10	79	MFT	250/500/1000/2,500'
	180090	18 AWG/12	96	MFT	250/500/1000/2,500'
	180091	18 AWG/13	104	MFT	250/500/1000/2,500'
	180055	18 AWG/16	128	MFT	250/500/1000'
	180058	18 AWG/19	150	MFT	250/500/1000'
	180066	18 AWG/25	193	MFT	250/500/1000'
	270004	CABLE STRIPPING TOOL		EA.	1/BOX


POLYETHYLENE (PE) GOLF COURSE VALVE WIRE, DIRECT BURIAL, UL LISTED,  **SPEC P7079D & P7264D** (metric)

 13 COLORS	14 AWG	20	MFT	500/2,500'
8 COLORS	12 AWG	29	MFT	2500'
7 COLORS	10 AWG	42	MFT	2500'
14 AWG & 12 AWG AVAILABLE WITH STRIPES	6 COLORS 1.5mm <sup>2</sup>	15.2	MFT	500/1000/2,500'
	6 COLORS 2.5mm <sup>2</sup>	22.4	MFT	1000/2,500'

POLYVINYL CHLORIDE (PVC) INSULATED VALVE OR POWER WIRE, TYPE UF, DIRECT BURIAL, UL LISTED,  **SPEC P7001D**

 13 COLORS	14 AWG	28	MFT	500/2,500'
8 COLORS	12 AWG	37	MFT	500/2,500'
7 COLORS	10 AWG	55	MFT	2500'
3 COLORS	8 AWG	83	MFT	2500'
14 AWG & 12 AWG AVAILABLE WITH STRIPES	3 COLORS 6 AWG	126	MFT	1000'
	3 COLORS 4 AWG	155	MFT	1000'
	3 COLORS 2 AWG	236	MFT	1000'
	3 COLORS 1/0 AWG	423	MFT	1000'

TWO WIRE FLAT POWER CABLE WITH BARE GROUND, TYPE UF/NMC-B, DIRECT BURIAL, UL LISTED,  **SPEC P7295D**

 170090	14 AWG/2 w/GROUND(All Solid)	80	MFT	1000'
170110	12 AWG/2 w/GROUND(All Solid)	110	MFT	1000'
170130	10 AWG/2 w/GROUND(Solid)	156	MFT	1000'
170150	8 AWG/2(Stranded) w/GROUND(Solid)	237	MFT	1000'
170170	6 AWG/2(Stranded) w/GROUND(Solid)	407	MFT	1000'

EA=each

MFT=1000 feet


CEA=100 each

~≈approximately

\*=call for prices

PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	UNIT	PUT-UPS OR PACKAGING
--------------	-------------	-----------------	------	----------------------

THREE WIRE ROUND TRAY POWER CABLE (TC), DIRECT BURIAL, UL LISTED,  SPEC P7266D & P7267D

 <p>Other Wire Counts and Sizes Available</p>	182148	12 AWG/3	113	MFT	1000/5000'
	180608	10 AWG/3	212	MFT	1000/5000'
	180607	8 AWG/3	283	MFT	1000/5000'
	180600	6 AWG/3	400	MFT	1000/4000'
	180700	4 AWG/3	653	MFT	1000/3000'
	180605	2 AWG/3	948	MFT	1000/2000'
	180610	1/0 AWG/3	1436	MFT	1000/2000'


IRRIGATION SYSTEM COMMUNICATION CABLES, DIRECT BURIAL

	180095TH	16 AWG/1 PR TORO UNARMORED <b>Tufhide</b> P7162D	65	MFT	~5,000'
	180096TH	16 AWG/1 PR TORO ARMORED <b>Tufhide</b> P7162D-A	92	MFT	~5,000'
	273210	<b>Tufhide</b> SPLICE KIT, P273210D		EA	~1 Kit/Box
	180007	18 AWG/2 PR, ARMORED, P7171D-A	105	MFT	~4,000'
	180008	18 AWG/2 PR, UNARMORED, P7171D	61	MFT	~4,000'
	9 COLORS	14 AWG/2 RAIN BIRD MAXI, P7072D	86	MFT	~2,500'
	5 COLORS	12 AWG/2 RAIN BIRD MAXI, P7072D	110	MFT	~2,500'
	180006	20 AWG/3 PR, P7195D(Equal to Belden 9883)	70	MFT	~2,500'
	180039	19 AWG/6PR, PE-39, P7315D	170	MFT	~5,000'
	180054	19 AWG/3PR, PE-54, P7315D	93	MFT	~2,500'
641191	19 AWG/6PR, PE-89, P7073D	170	MFT	~2,500'	

BARE COPPER WIRE

 <p>OTHER SIZES AVAILABLE</p>	160248	14 AWG SOLID	13	MFT	250/500/1,000/2,500'
	160364	12 AWG SOLID	28	MFT	250/500/1,000/2,500'
	160465	10 AWG SOLID	32	MFT	250/500/1,000/2,500'
	160629	8 AWG SOLID	51	MFT	250/500/1,000/2,500'
	160635	6 AWG SOLID	80	MFT	250/500/1,000/2,500'
	160679	4 AWG STRANDED	129	MFT	250/500/1,000/2,500'

IRRIGATION SYSTEM DECODER CABLES, DIRECT BURIAL

	VARIOUS	TORO, 14/2 TWISTED & JACKETED, P7350D	65	MFT	2500' & odds
	COLORS	RAIN BIRD, 14/2 & 12/2 MAXI, P7072D	86 & 110	MFT	2500' & odds
		HUNTER 14/2 & 12/2 TWISTED, P7313	46 & 65	MFT	2500' & odds
		HUNTER 14/2 & 12/2 TWISTED & JACKETED, P7345	65 & 80	MFT	2500' & odds
		DECODER-TO-SOLENOID "DTS Cable", 14/2 ZIP P7351D	41	MFT	2500' & odds

Note: John Deere and Signature Control Systems allow use of any of the above


DECODER CABLE SWITCHING DEVICES

	270DCSD	DECODER CABLE SWITCHING DEVICE (2-WAY)		EA	12/Case
	270DCSD3	DECODER CABLE SWITCHING DEVICE (3-WAY)		EA	12/Case












## Low Voltage Lighting Products

TWO CONDUCTOR LOW VOLTAGE LIGHTING CABLE, DIRECT BURIAL, UL LISTED,  SPEC P7190D

	180015	18 AWG/2	27	MFT	250/500/1,000'	
	1800162	16 AWG/2	30	MFT	250/500/1,000'	
	180150	12 AWG/2	80	MFT	100/250/500/1,000'	
	180155	10 AWG/2	97	MFT	100/250/500/1,000'	
	180215	8 AWG/2	161	MFT	100/250/500/1,000'	
	TN111RM	270TN111RM	LoVo OUTDOOR TIMER	.5	EA	36/CASE
		270DT620CL	ELECTRONIC TIMER WITH ASTRONOMIC TIME	.5	EA	6/CASE
		270K4021	PHOTO CONTROL, FIXED	.1	EA	50/CASE
		270K4221	PHOTO CONTROL, SWIVEL	.1	EA	50/CASE
		270HB51RC	MECH. TIMER/PHOTO CONTROL	.5	EA	8/CASE
		270HB88RC	ELEC. TIMER/DUAL OUTLETS	.6	EA	6/CASE
		270WP1100C	RECEPTACLE COVER - SINGLE GANG	.2	EA	6/CASE
		270WP1220C	RECEPTACLE COVER - TWO GANG	.4	EA	6/CASE






	PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	UNIT	PUT-UPS OR PACKAGING
--	--------------	-------------	-----------------	------	----------------------

### EARTH GROUNDING & LIGHTING PROTECTION ACCESSORIES

	182000	GROUNDING RODS (5/8" x 8')	7	EA	Bulk
	182007	GROUNDING RODS (5/8" x 10')	10	EA	Bulk
182005	182005	GROUNDING CLAMPS (5/8")		EA	Bulk
	182199L	4" x 96" Cu PLATE & 25' OF #6 BARE WIRE	11	EA	1/Box
	182201	4" x 36" Cu PLATE & 10' OF #10 BARE WIRE	4	EA	1/Box
250090	250090	INTERMATIC AG2401 LIGHTNING ARRESTER		EA	6/Box
	1820037P	CADWELD GR1161G-PLUS (1 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820039P	CADWELD GT1161G-PLUS (2 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820038P	CADWELD NT1161G-PLUS (3 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820060P	CADWELD NX1161G-PLUS (4 CONN. 6 & 8 AWG)		EA	1/Box 12/Case
	1820043P	CADWELD GR1161L-PLUS (1 CONN. 4 AWG)		EA	1/Box 12/Case
	1820053P	CADWELD GT1161L-PLUS (2 CONN. 4 AWG)		EA	1/Box 12/Case
	1820054P	CADWELD NT1161L-PLUS (3 CONN. 4 AWG)		EA	1/Box 12/Case
	1820061P	CADWELD NX1161L-PLUS (4 CONN. 4 AWG)		EA	1/Box 12/Case
	1820045P	CADWELD GR1161V-PLUS (1 CONN. 2 AWG)		EA	1/Box 12/Case
	1820044P	CADWELD GT1161V-PLUS (2 CONN. 2 AWG)		EA	1/Box 12/Case
	1820055P	CADWELD NT1161V-PLUS (3 CONN. 2 AWG)		EA	1/Box 12/Case
	1820068P	CADWELD NX1161V-PLUS (4 CONN. 2 AWG)		EA	1/Box 12/Case
	1820074P	CADWELD PG11L-PLUS SPLICE (4 CONN. 6 & 4 AWG)		EA	1/Box 12/Case
	1820040CU	CADWELD CONTROL UNIT	2	EA	1/Box
	1820059	PowerFill™ EARTH CONTACT BACKFILL, 50#	50	EA	50 pound bag
	1820058	PowerSet™ EARTH CONTACT BACKFILL, 50#	50	EA	50 pound bag
					

NOTE: PowerFill™ Is a Non-hardening material to be used in clay soils. PowerSet™ is a material that hardens with water and should be used in coarse soils such as sand and rock to prevent material migration.

### TRACKING

	270751	3M 2210-U3P3 CABLE & METALLIC PIPE LOCATOR	14.3	EA	1
	270901	3M 2273-U3P3 ADVANCED CABLE, METALLIC PIPE AND INSULATION/SHEATH FAULT LOCATOR	23	EA	1
	270199	3M 2273M-iD/UC5W-RT ULTRA ADVANCED CABLE, METALLIC PIPE & INSULATION/SHEATH FAULT LOCATOR	31	EA	1
	2702200B	3M 2200 SERIES BAG FOR CARRYING & PROTECTING ABOVE	.3	EA	1
	270198	3M #1402-XR, RED, WIRES/POWER	5	Case	30/Case
	270234	3M #1403-XR, BLUE, WATER.	5	Case	30/Case
	270234P	3M #1408-XR, PURPLE, RECLAIMED WATER.	5	Case	30/Case
	270202R	3M #1433, RED, WIRES/POWER.	2	Case	50/Case
	270202	3M #1434, BLUE, WATER.	2	Case	50/Case
	270201R	3M #1256, RED, WIRES/POWER.	6	Case	50/Case
1402-XR	270201	3M #1257, BLUE, WATER.	6	Case	50/Case

EA=each


MFT=1000 feet

CEA=100 each


~=approximately

PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	UNIT	PUT-UPS OR PACKAGING
--------------	-------------	-----------------	------	----------------------


SOLA 60 HERTZ VOLTAGE REGULATING/POWER CONDITIONING TRANSFORMERS

 <p>Other Models Available, including 50 Hertz</p>	250000	120VA, 63-23-112-4	15	EA	1
	250010	250VA, 63-23-125-4	27	EA	1
	250020	500VA, 63-23-150-8	37	EA	1
	250030	750VA, 63-23-175-8	52	EA	1
	250040	1000VA, 63-23-210-8	62	EA	1
	250050	1500VA, 63-23-215-8	95	EA	1
	250060	2000VA, 63-23-220-8	109	EA	1
	250070	3000VA, 63-23-230-8	142	EA	1
	250080	5000VA, 63-23-250-8	222	EA	1


SOLA 60 HERTZ UNINTERRUPTIBLE POWER SUPPLIES (UPS)

 <p>Other Models Available</p>	250205	250VA, S2350, UPS	14	EA	1
	250410	470VA, S2470, UPS	16	EA	1
	250404	700VA, S2700, UPS	22	EA	1
	250216	700VA, S3K700, UPS & POWR COND COMBO	30	EA	1
	250230	1000VA, S3K1000, UPS & POWR COND COMBO	44	EA	1
	250403	1600VA, S3K1600, UPS & POWR COND COMBO	50	EA	1

ELECTRICAL CONNECTION WATERPROOFING ACCESSORIES


	270367	DBM-L		EA	50
	270325	3M DBY BULK		EA	100
	270327	3M DBR BULK		EA	100
	270337	3M DBY-6 BULK		EA	100
	270338	3M DBR-6 BULK		EA	100
	270318	3M DBY KIT OF 2		KIT	25 Kits/Box
	270319	3M DBR KIT OF 2		KIT	25 Kits/Box
	270336	3M DBY-6 KIT OF 2		KIT	25 Kits/Box
	270339	3M DBR-6 KIT OF 2		KIT	25 Kits/Box
	270314	3M #314 D/B WIRE CONN. (22-14 AWG)		EA	50/Box
	270317	3M #314 D/B WIRE CONN. (22-14 AWG)		EA	1000/Bin
	270228R	3M #316IR D/B WIRE CONN. (22-16 AWG)		EA	30/Pk, 300/Box
	270MGC	MGC		EA	25/Pk, 250/Case
	270MH14BCX	3M "CRIMP & SHRINK" CONNECTOR, 18-14 GAUGE		EA	25/Pk, 100/Case
	270MH10BCX	3M "CRIMP & SHRINK" CONNECTOR, 18-8 GAUGE		EA	25/Pk, 100/Case
	270LVC1	LVC1 CONNECTOR, 18-10 GAUGE P7363-LVC		EA	2/Pk, 25 Pks/Case
	270LVC2	LVC2 CONNECTOR, 18-8 GAUGE P7363-LVC		EA	2/Pk, 25 Pks/Case
	270BC2	IRRIGATION AND LIGHTING (HUB/SPIDER) 2-LUG CONNECTOR			
	273211	3M SLIC WATERPROOFING KIT		EA	2 Kits/Bag, 12/Case
	270320	3M #3570G EPOXY PACKS		EA	10/Box, 100/Case
270322	3M #4 RESIN, SIZE A/3.2oz., 4" x 7"		EA	10	
270323	3M #4 RESIN, SIZE B/7.4oz., 5" x 7"		EA	10	
270329	3M #82-A RESIN SPLICES		EA	1/Box, 10/Case	
270340	3M # 82-A1 RESIN SPLICES		EA	1/Box, 10/Case	
273210	<b>Tufhide</b> SPLICE KIT, P273210D		EA	1/Kit/Box	
270330	3M #82-A2 RESIN SPLICES		EA	1/Box, 10/Case	
270375	3M #82-B1 WYE SPLICES		EA	1/Box, 10/Case	
270388	3M SCOTCHKOTE ELEC. COAT., 15 oz.		EA	10	

TAPES


	SUPER 33+ #1700	270420	CORR. PROT. TAPE 3M #1100 (2" x 100')	EA	24
		270341	ELECTRICAL TAPE, 3M SUPER 88 (3/4" x 66')	EA	10/Ctn, 100/Box
		270389	ELECTRICAL TAPE, 3M SUPER 33+ (3/4" x 66')	EA	10/Ctn, 100/Box
		270643	ELECTRICAL TAPE, 3M HIGHLAND (3/4" x 66')	EA	10/Sleeve
	#23	270385	ELECTRICAL TAPE 3M #1700 (3/4" x 60')	EA	10/Sleeve, 100/Box
	DUCT TAPE	270ET211	ELECTRICAL TAPE ECONOMY (3/4" x 60')	EA	10/Sleeve, 200/Box
		270001	RUBBER TAPE 3M #23 (3/4" x 30')	EA	50
		270387	SCOTCHFILL PUTTY 3M #15140	EA	10
		270417	DUCT TAPE 3M #3939 (2" x 60 YDS)	EA	24
		270P217	DUCT TAPE, POLYKEN 217 (2" x 60 YDS)	EA	24
		270396	PACKAGING TAPE 3M #3710 (2" x 328')	EA	36

PAIGE PART #	SIZE/ MODEL	POUNDS PER UNIT	UNIT	PUT-UPS OR PACKAGING
--------------	-------------	-----------------	------	----------------------


### 3M ELECTRICAL SPRING CONNECTORS ("WIRE NUTS")

	270300	TYPE Y (YELLOW) - [22-12 AWG], (BULK)	CEA	500/Bag	
	270301	TYPE Y (YELLOW) - [22-12 AWG]	CEA		100/Box
	270310	TYPE R (RED) - [18-10 AWG], (BULK)	CEA		500/Bag
	270311	TYPE R (RED) - [18-10 AWG]	CEA		100/Box
	270313	TYPE G (GRAY) - [14-8 AWG]	CEA		100/Box
	270315	TYPE B (BLUE) - [12-6 AWG]	CEA		50/Box
	270303"G"	TYPE H-29 (GRAY) - [22-16 AWG]	CEA		100/Box
	270303"B"	TYPE H-30 (BLUE) - [22-14 AWG]	CEA		100/Box
	270303"O"	TYPE H-31 (ORANGE) - [18-14 AWG]	CEA		100/Box
	270306	TYPE O/B (ORG/BLUE) - [20-12 AWG]	CEA		100/Box
	270307	TYPE O/B (ORG/BLUE) - [20-12 AWG], (BULK)	CEA		1000/Bag
	270304	TYPE O/B (ORG/BLUE) - [20-12 AWG], (JUG)	CEA		500/Jug
	270308	TYPE R/Y (RED/YELLOW) - [18-8 AWG]	CEA	100/Box	
	270309	TYPE R/Y (RED/YELLOW) - [18-8 AWG]	CEA	1000/Bag	


### 3M WIRE MARKING ACCESSORIES

	270391	STD 0-9 DISPENSER, FILLED w/0 TO 9	EA.		25
	270393	STD C DISPENSER, FILLED w/COLORS	EA.		25
	270501	SDR 0-9 REFILL KIT, 0 TO 9 ROLLS	EA.		10
	270502	SDR-MC REFILL KIT, COLOR ROLLS	EA.		10

### POWER CORDS, 16/3, 13 AMP, UL LISTED (UL)

	090083	3' RIGHT ANGLE PLUG	0.26	EA.	50
	090082	6' RIGHT ANGLE PLUG	0.51	EA.	50
	090081	8' RIGHT ANGLE PLUG	0.56	EA.	50
	090070	3' STRAIGHT PLUG	0.26	EA.	50
	090071	6' STRAIGHT PLUG	0.51	EA.	50
	090072	8' STRAIGHT PLUG	0.56	EA.	50
	0900820D	6' RIGHT ANGLE PLUG, OUTDOOR	0.80	EA.	50

### 3M CABLE TIES

	270219	4" NATURAL - 3M #06224	CEA		100/Bag, 1,000/Box
	270221	6" NATURAL - 3M #06225	CEA		100/Bag, 1,000/Box
	270222	8" NATURAL - 3M #06226	CEA		100/Bag, 1,000/Box
	276228	15" NATURAL - 3M #06228	CEA		50/Bag, 500/Box
	273405	8" NATURAL - 3M #06250, BULK	CEA		1,000/Bag, 10,000/Box
	273406	12" NATURAL - 3M #06251, BULK	CEA		1,000/Bag, 10,000/Box
	270226	8" BLACK (WEATH RES) - 3M #06272, BULK	CEA		1,000/Bag, 10,000/Box
	270227	12" BLACK (WEATH RES) - 3M #06272, BULK	CEA		1,000/Bag, 10,000/Box
	270382	4" BLACK (WEATH RES) - 3M #06200	CEA		100/Bag, 10,000/Box
	270384	6" BLACK (WEATH RES) - 3M #06201	CEA		100/Bag, 10,000/Box
	276230	ASSORTED BAG OF 100 - 3M #06220	PACK		100/Bag, 10,000/Box

### BRASS SPLIT BOLTS

	181992	#2/0	EA		
	181993	#1/0	EA		
	181997	#2	EA		
	181998	#4	EA		
	181999	#6	EA		
	181994	#8 and #10	EA		

EA=each

MFT=1000 feet

CEA=100 each

~=approximately



PLEASE CALL FOR PAIGE ELECTRIC DISTRIBUTOR NEAR YOU. [www.paigewire.com](http://www.paigewire.com)

Union, NJ  
 Anaheim, CA  
 Fresno, CA

800.327.2443  
 714.280.0109  
 559.431.2346

Fax: 908.687.2722  
 Fax: 714.280.1079  
 Fax: 559.431.2574